

MATERIAL SAFETY DATA SHEET

SECTION 1- PRODUCT IDENTIFICATION

MANUFACTURER: Lamtec Corporation

ADDRESS: 5010 River Road Mount Bethel, Pennsylvania 18343-5610

TELEPHONE: 570-897-8200

DATE OF PREPARATION: 8/24/2010

PRODUCT NAME: Gymguard (White or Black)

SECTION 2- HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

PRODUCT INGREDIENTS:

CAS NUMBER

TLV/PEL

Polypropylene Film

Glass Fiber

65997-17-3

15.0 mg/m³

Polymeric Adhesive

* HAZARDOUS	CAS	OSHA	ACGIH	OTHER LIMITS
INGREDIENTS	Number	PEL	TLV	RECOMMENDED
Antimony Oxide	1309-64-4	0.5 mg/m ³	0.5 mg/m ³	
Hydrated Alumina	21645-51-2	15.0 mg/m ³	10.0 mg/m ³	20 mg/m³ (STEL)
Decabromodiphenyl Oxide	1163-19-5	15.0 mg/m ³	10.0 mg/m ³	5.0 mg/m³ TWA 8hr. AIH WEEL

^{*} Substances listed in the hazardous Ingredients section are those that have been determined to be health hazards and are present at a concentration of 1% or greater, or 0.1% if the substance is on the list of potential carcinogens cited in the OSHA Hazard Communication Standard.

5010 River Road Mount Bethel, Pennsylvania 18343-5610 U.S.A. Phone: (570) 897-8200 Fax: (570) 897-6081 Web: www.lamtec.com

SECTION 3- PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: Not Applicable
Melting Point: Not Applicable
Vapor Pressure: Not Applicable
Vapor Density: Not Applicable

Solubility (in water): Insoluble In Water

Appearance: Polypropylene Film / Glass Fabric Lamination (White or Black)

Odor: No Odor

Specific Gravity: Not Determined

SECTION 4- FIRE AND EXPLOSION HAZARD DATA

Flash Point: Not Applicable Method Used: Not Applicable

Flammability Limits: LEL - Not Applicable

UEL - Not Applicable

Auto-Ignition Temperature: Not Applicable

Extinguishing Media: Foam, dry chemical, fog or water

Special Fire Fighting Instructions: Fires involving this product should be

fought while wearing self-contained

breathing apparatus.

Unusual Fire And Explosion Hazards: None

SECTION 5- REACTIVITY DATA

Stability: Stable

Hazardous Decomposition Products: Under fire conditions, products will decompose and

produce hydrogen chloride, hydrogen bromide, carbon monoxide, carbon dioxide and other

organic vapors.

Hazardous Polymerization: Should not occur under normal use.

SECTION 6- HEALTH HAZARD DATA / FIRST AID

EYE CONTACT: Direct contact will cause mechanical irritation.

Irrigate immediately with water for at least 15 minutes. Seek

medical attention.

SKIN CONTACT: Direct contact can cause mechanical irritation.

SKIN ABSORPTION: Not likely to be absorbed through skin.

INGESTION: Not likely to occur under normal conditions.

INHALATION: Product cannot be inhaled in its normal form. If abnormal

use creates dust, wear a NIOSH/OSHA approved respirator.

SIGNS AND SYMPTOMS OF EXPOSURE: None known.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known.

SECTION 7- PRECAUTIONS FOR SAFE HANDLING AND USE

SPILL PROCEDURES: Not Applicable

DISPOSAL METHOD: In accordance with applicable, local, state and federal

regulations. When incinerating, use a unit with acid scrubber to remove hydrogen chloride and bromide.

SECTION 8- CONTROL MEASURES

VENTILATION: Not required for normal use.

RESPIRATORY PROTECTION: Not required for normal use. If abnormal use

creates dust, wear a NIOSH/OSHA approved

respirator.

SKIN PROTECTION: Not normally required.

EYE PROTECTION: Not normally required.

SECTION 9- SPECIAL PRECAUTIONS / ADDITIONAL INFORMATION

DOT INFORMATION: Not regulated by DOT

HAZARD CLASS: Non hazardous.

HMIS HAZARD RATING: HEALTH - 0, FLAMMABILITY - 1, REACTIVITY - 0

NFPA HAZARD RATING: HEALTH - 1, FLAMMABILITY - 1, REACTIVITY - 0

While the information and recommendations set forth herein are believed to be accurate, Lamtec Corporation makes no warranty with respect thereto and disclaims all liability from reliance thereon.