



INSULATION DISTRIBUTORS - IDI
ATTN: RYAN MARSHALL
8303 AUDUBON ROAD

CHANHASSEN, MN 55317 United States
PAT LUCKING/FAX

March 10, 2014

Re: Order: 182722 Shipper: Date: 03/11/2014

Product Name
Pura® Insulation Remover

Dear customer:

In compliance with the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the enclosed material safety data(s) is/are being provided to you for the products listed above.

Our Material Safety Data Sheet(s) has/have been developed to meet the requirements of the OSHA Hazard Standard. **In order to ensure every customer receives Material Safety Data Sheet(s) Chem-Trend is now converting to an electronic form of distribution. Effective May 1, 2014 MSDS(s) will only be distributed electronically. Please provide an email address to the following: psales@chemtrend.com and dsales@chemtrend.com.**

If you have any questions regarding the material safety data sheets(s), please feel free to contact me at 517-546-4520.

Very truly yours,

Chem-Trend Limited Partnership

Ann Farmer
Regulatory Affairs Manager

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Telephone numbers: (517) 546-4520

Manufacturer/Supplier: CHEM-TREND LP
P.O. BOX 860
HOWELL, MI 48844-0860

Product Name: Pura® Insulation Remover

2. HAZARDS IDENTIFICATION

Physical State: Liquid

Appearance: Liquid

Color: Clear Colourless levemente Yellow

Odor: Mild Amine

Principle Routes of Exposure: Skin, eyes, respiratory tract, gastrointestinal tract

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1-Methyl-2-pyrrolidone	872-50-4	90 - 100%

4. FIRST AID MEASURES

Skin contact: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Inhalation: Move to fresh air. If symptoms persist, call a physician.

Ingestion: Drink 2 glasses of water. Call a physician or poison control center immediately.

Aggravated Medical Conditions: Dermatitis.

Notes to physician: No information available.

Pura® Insulation Remover

5. FIRE-FIGHTING MEASURES

Flash point:	199 °F , 93°C (Pensky-Martens, ASTM D 93, ISO 1523, ISO 2719, DIN 51-755, DIN 51758)
Flame extension test, inches (aerosol products only):	Not applicable, no information available.
Suitable extinguishing media:	Carbon dioxide (CO2), Dry chemical. Foam. Do not use a direct stream of water..
Unusual hazards:	Combustible material.
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Specific methods:	Standard procedure for chemical fires.
Explosive properties:	No information available.

6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up:

Small spills:	Take precautionary measures against static discharges. Soak up with inert absorbent material and dispose of as hazardous waste.
Large spills:	Take precautionary measures against static discharges. Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions Ensure adequate ventilation. Take precautionary measures against static discharges.

Safe handling advice: Handle in accordance with good industrial hygiene and safety practice.
Normal measures for preventive fire protection
Take precautionary measures against static discharges.
Keep away from open flames, hot surfaces and sources of ignition
Bond and ground containers during transfer of material.
Do not puncture empty containers.
Do not re-use empty containers for other materials.

Storage:

Technical measures/storage conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep product and empty container away from open flames, hot surfaces and sources of ignition. Store at temperatures not exceeding 110°F.

Incompatible products: Strong oxidizing agents.

Other precautions: None

Pura@ Insulation Remover

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	CAS-No.	ACGIH TWA:	OSHA - TWA:	OSHA - Skin Notations	OSHA Z3 Mineral Dusts
1-Methyl-2-pyrrolidone	872-50-4	-	-	-	-

Engineering measures: Ensure adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

- Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment.
- Hand protection:** Impervious gloves
- Eye protection:** Tightly fitting safety goggles or safety glasses with side-shields
- Skin and body protection:** Lightweight protective clothing. Usual safety precautions while handling the product will provide adequate protection against this potential effect.

Pura® Insulation Remover

9. PHYSICAL AND CHEMICAL PROPERTIES

Initial boiling point:	~395 °F, ~202°C
Specific gravity:	1.03
Bulk density (lb/gal):	8.59
Vapor pressure (mm Hg, 20 °C (68 °F)):	0.29 (n-methylpyrrolidone)
Vapor density (Air = 1.0)	>1
Evaporation rate:	<1 (n-butyl acetate = 1)
Volatiles content (%):	Non-volatile at STP
Water solubility:	Insoluble
pH of concentrate:	Not applicable.
pH of dilution, other:	7.2 @ 10%
Melting point range:	Not applicable
Flash point:	199 °F , 93°C (Pensky-Martens, ASTM D 93, ISO 1523, ISO 2719, DIN 51 755, DIN 51758)
Flammability limits in air:	Percent by volume

Components	CAS-No.	Lower (%):	Upper (%):
1-Methyl-2-pyrrolidone	872-50-4	1.3	9.5

10. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to avoid:	Keep away from open flames, hot surfaces and sources of ignition.
Materials to avoid:	Strong oxidizing agents Strong acids Reducing agents
Hazardous decomposition products:	Carbon oxides. Nitrogen oxides (NOx).
Polymerization:	Hazardous polymerization does not occur.

Pura® Insulation Remover

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information:

Components	CAS-No.	LD50 Oral	LD50 Dermal	LC50 Inhalation (Vapor)
1-Methyl-2-pyrrolidone	872-50-4	3598 mg/kg (rat)	2500 mg/kg 2000 mg/kg (rat)	-

Acute effects

Product contains proprietary ingredients. Health hazards are listed below.

Skin contact:	Causes skin irritation. Repeated or prolonged contact can cause redness, swelling, and cracking.
Eye contact:	Moderately irritating to the eyes.
Inhalation:	May cause irritation of respiratory tract
Ingestion:	Ingestion may cause gastrointestinal irritation, nausea, and diarrhea.
Sensitization:	No information available.
Other effects:	In animal studies in rats and mice, N-methylpyrrolidone was embryotoxic by the oral and intraperitoneal routes at very high dose levels which were close to the LD50. In a dermal exposure study with rats, N-methylpyrrolidone was only embryotoxic at high dose levels; this effect was attributed to maternal toxicity. Several inhalation studies in rats did not reveal any indication of maternal toxicity or embryotoxicity.

Chronic effects

Carcinogenic effects:

Components	CAS-No.	NTP:	IARC:	OSHA:
1-Methyl-2-pyrrolidone	872-50-4	No	No	No

Mutagenic effects:	No information available.
Reproductive toxicity:	No information available.
Target Organ Effects:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available.

13. DISPOSAL CONSIDERATIONS

Method(s) of disposal: Dispose of in accordance with local, state, and federal regulations. This product does not fall under current EPA RCRA definitions of hazardous waste.

US EPA Waste number: None.

Pura@ Insulation Remover

14. TRANSPORT INFORMATION

IMDG - Marine Pollutants This product does not contain marine pollutants as classified by the International Maritime Organization.

Emergency Response Guidebook (ERG) No: 128

Mode of Transportation:	UN/NA ID No:	Proper shipping name:	Technical name	Hazard Class:	Packing group:
DOT - Non-Bulk	-	Not regulated	-	-	-
DOT - Bulk	NA1993	Combustible liquid, n.o.s.	(Contains 1-Methyl-2-pyrrolidone)	-	III
Canadian TDG	-	Not regulated	-	-	-
ICAO/IATA	-	Not regulated	-	-	-
IMO/IMDG	-	Not regulated	-	-	-

Pura@ Insulation Remover

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazardous Chemical: Yes

SARA Title III

CERCLA/SARA (304) Hazardous Substances and RQs

Components	CAS-No.	Weight %	RQ
1-Methyl-2-pyrrolidone	872-50-4	90 - 100%	-

SARA (302) Extremely Hazardous Substances and RQs

Components	CAS-No.	Weight %	TPQ
1-Methyl-2-pyrrolidone	872-50-4	90 - 100%	-

SARA (311/312) Classification:

Acute health hazard: Yes
Chronic health hazard: Yes
Fire: Yes
Sudden Release of Pressure No
Reactive: No

SARA (313) Toxic Chemicals

Components	CAS-No.	Weight %	SARA (313) List
1-Methyl-2-pyrrolidone	872-50-4	90 - 100%	X

International Inventories

Australia:	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).
Canada:	This product complies with DSL
China:	This product complies with CLECS.
Europe:	This product complies with EINECS
Japan:	This product complies with ENCS/MITI.
Korea:	Listed on ECL.
New Zealand:	This product complies with NZIoC
Philippines:	This product complies with PICCS.
United States:	This product complies with TSCA.

Pura® Insulation Remover

16. OTHER INFORMATION

Hazardous Material Information System (USA):

Health 2 Flammability: 2 Physical hazard: 0 Personal Protection code: B

National Fire Protection Association (USA):

Health: 2 Flammability: 2 Instability: 0 Special Hazards: None/Not available

All revisions are marked with one or more asterisks (*)

Prepared by: Karen M. Kuroda

Revision number: 0
Revision date: 01/16/2012
Review date: 01/16/2012
Print date: 01/16/2012

Disclaimer

Information presented herein has been compiled from information provided to us by our suppliers and other sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or the use of any product in violation of any patent or in violation of any law or regulation. It is the users' responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

Revision number

0

Page 8 of 8