



**ANY JOB.  
ANY SIZE.  
ANY PLACE.**

60 Years of American Ingenuity

## GV230

Industry's first belt driven vacuum with an impeller speed 30% faster than direct drive vacuums. The **GV230 Belt Driven Gas Vacuum** is powered by a rugged 23hp Briggs & Stratton V-Twin gas engine, or a 23 1/2hp Kohler V-Twin engine. This vacuum removes all types of blown insulation and is used for recycling damp spray.

- 6" (15.2 cm) inlet and outlet allows for substantial volume
- Engineered and designed to eliminate engine vibration and fan blade stress
- 12 volt Magnetron<sup>®</sup> Electronic Ignition system
- Input / Output safety switches
- Ergonomic mounting frame w/11" run flat tires
- Abrasion resistant steel fan chamber
- Durable powder coat finish
- Ergonomic handle with base design allows for easy tilting and moving



Backed by a manufacturer's  
**2-YEAR WARRANTY - Made in the U.S.A.**

### PRODUCTION RATE

**\*EXTRACTS AN AVERAGE  
300/BAGS per hr.**

60 Years



1958-2018

KRENDL MACHINE COMPANY • 1201 SPENCERVILLE RD • DELPHOS, OHIO 45833 • 800.459.2069 • F 419.695.9301

krendlmachine.com



# KRENDL

The Innovator in Insulation Equipment™

# GV230

Scan to learn more about Krendl Machine

## GAS VACUUM - THEORY OF OPERATION

This unit is designed to accept all recycled fiber materials from the job site and deliver them directly into the vacuum hopper. Once the recycled material has been deposited into the hopper, the air passes through the perforated mesh screen in the vacuum hopper, where it is filtered, and exhausted.

### FEATURES:

Automatic shut-off, if the hose detaches during operation. Hour meter.

\* Briggs engine features a tachometer

## VACUUM SPECIFICATIONS

FAN SIZE / TYPE **STEEL, 18" (46 cm)**

PRODUCTION **9000 lbs./hr (4082 kg./hr)**


INLET / OUTLET **6" (15.2 cm)**  
inches (cm)

## GENERAL SPECIFICATIONS

DIMENSIONS **46" long x 30 1/2" wide x 51" high**

WEIGHT **378-393 lbs. (172-178 kg.)\***  
\*Depending on what engine is ordered

ENGINE **Briggs & Stratton 627cc 23 hp/3600rpm (no load)** OR **Kohler Command Pro 725cc 23.5 hp/ 3600rpm (no load)**



Waste material can be discharged into a disposable reclaim bag.